

Table Name : REPL_ORD_DET

Description : Stores details of items that are to be issued in a Replenishment order.

Base

Column Name	Column Type	Length	Precision	Scale	Nullable	Description
REPL_ORDER	CHAR	10			N	Unique ID for Replenishment Transaction.
LINE_NO	NUMBER		3	0	N	Unique Line Number of the Replenishment Order detail line
SALE_ORDER	CHAR	10			Y	Reference Sales order number for replinshment task
LINE_NO__SORD	NUMBER		3	0	Y	Line no of sale order against which Replenishment task is created
SITE_CODE	CHAR	5			Y	Site code for which replinshment task is created.
ITEM_CODE	CHAR	10			Y	Item code for which replinshment task is created.
LOC_CODE	CHAR	8			Y	Source Location Code
LOT_NO	CHAR	15			Y	Lot number of the item
LOT_SL	CHAR	15			Y	Lot Serial /LPN Number of the item.
NO_ART	NUMBER		6	0	Y	No. of articles in the replinshment task
QUANTITY	NUMBER		14	3	Y	Quantity of the item for replinshment task
PICK_ORDER	CHAR	10			Y	Reference ID of Replinshment for dependant replishment task (eg. In case of PND it will store DSO replinshment task)
LINE_NO__PICK	NUMBER		3	0	Y	Line no of reference pick order
EXP_LEV	CHAR	20			N	Explosion Level of sale order
LOC_CODE__TO	CHAR	8			Y	Destination System Suggested Location Code
ACTUAL_QTY	NUMBER		14	3	Y	Actual avaiable Quantity for replenishment
REPL_TYPE	CHAR	3			Y	Replenishment Type (Internal Use Only)
CANCEL_MODE	CHAR	1			Y	Cancel Mode (Y/N)
DEALLOC_QTY	NUMBER		14	3	Y	Quantity Deallocated from wave